Interrupt

Refine Search

Search Results -

| Terms | Documents |
|-----------------------------------|-----------|
| L24 and (relevant near partie\$1) | 0 |

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database Database: EPO Abstracts Database JPO Abstracts Database **Derwent World Patents Index** IBM Technical Disclosure Bulletins L25 Refine Search Search: Recall Text =

Search History

Clear 🖟

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

| Set Name side by side | Query | Hit Count | Set Name result set |
|-----------------------|---|-----------|------------------------|
| - | B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=Y | ES; OP=OR | |
| <u>L25</u> | L24 and (relevant near partie\$1) | 0 | <u>L25</u> |
| <u>L24</u> | L23 and stage\$1 | 19 | <u>L24</u> |
| <u>L23</u> | L2 and pointer | 60 | <u>L23</u> |
| <u>L22</u> | L21 and pointer | 0 | <u>L22</u> |
| <u>L21</u> | L20 and L5 | 4 | <u>L21</u> |
| <u>L20</u> | 709/\$.ccls. | 41494 | <u>L20</u> |
| <u>L19</u> | (L17 or L18) and L5 | 0 | <u>L19</u> |
| <u>L18</u> | 717/103.ccls. | 92 | <u>L18</u> |
| <u>L17</u> | 717/100.ccls. | 503 | <u>L17</u> |
| <u>L16</u> | L15 and L5 | 0 | <u>L16</u> |
| <u>L15</u> | 705/29.ccls. | 339 | <u>L15</u> |
| <u>L14</u> | L13 and L5 | 1 | <u>L14</u> |
| <u>L13</u> | 709/213-219.ccls. | 8994 | <u>L13</u> |
| <u>L12</u> | (L8 or L9 or L10 or L11) and L5 | 0 | <u>L12</u> |

| <u>L11</u> | 700/117.ccls. | 1052 | <u>L11</u> |
|------------|---|-------|------------|
| <u>L10</u> | 700/103-104.ccls. | 302 | <u>L10</u> |
| <u>L9</u> | 700/106-107.ccls. | 195 | <u>L9</u> |
| <u>L8</u> | 700/97-98.ccls. | 1023 | <u>L8</u> |
| <u>L7</u> | L6 and L5 | 1 | <u>L7</u> |
| <u>L6</u> | 707/\$.ccls. | 31824 | <u>L6</u> |
| <u>L5</u> | L3 and (develop\$6 near stage) | 57 | <u>L5</u> |
| <u>L4</u> | L3 and (develop\$ near stage) | 57 | <u>L4</u> |
| <u>L3</u> | L2 and stage\$1 | 191 | <u>L3</u> |
| <u>L2</u> | L1 and (shar\$3 same (database or table)) | 356 | <u>L2</u> |
| <u>L1</u> | manufactur\$ near component\$1 | 30808 | <u>L1</u> |



Search Results -

| Terms | Documents |
|------------|-----------|
| L1 and L26 | 7 |

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database Database: EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index **IBM Technical Disclosure Bulletins** L27 Refine Search Search:

Clear

Interrupt

Search History

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

Recall Text

| Set Name side by side | Query | Hit Count | Set Name result set |
|--------------------------|--|------------|------------------------|
| • | B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR= | YES; OP=OR | |
| <u>L27</u> | L1 and L26 | 7 | <u>L27</u> |
| <u>L26</u> | relevant near partie\$1 | 368 | <u>L26</u> |
| <u>L25</u> | L24 and (relevant near partie\$1) | 0 | <u>L25</u> |
| <u>L24</u> | L23 and stage\$1 | 19 | <u>L24</u> |
| <u>L23</u> | L2 and pointer | 60 | <u>L23</u> |
| <u>L22</u> | L21 and pointer | 0 | <u>L22</u> |
| <u>L21</u> | L20 and L5 | 4 | <u>L21</u> |
| <u>L20</u> | 709/\$.ccls. | 41494 | <u>L20</u> |
| <u>L19</u> | (L17 or L18) and L5 | 0 | <u>L19</u> |
| <u>L18</u> | 717/103.ccls. | 92 | <u>L18</u> |
| <u>L17</u> | 717/100.ccls. | 503 | <u>L17</u> |
| <u>L16</u> | L15 and L5 | . 0 | <u>L16</u> |
| <u>L15</u> | 705/29.ccls. | 339 | <u>L15</u> |
| <u>L14</u> | L13 and L5 | 1 | <u>L14</u> |

| <u>L13</u> | 709/213-219.ccls. | 8994 | <u>L13</u> |
|------------|---|-------|------------|
| <u>L12</u> | (L8 or L9 or L10 or L11) and L5 | 0 | <u>L12</u> |
| <u>L11</u> | 700/117.ccls. | 1052 | <u>L11</u> |
| <u>L10</u> | 700/103-104.ccls. | 302 | <u>L10</u> |
| <u>L9</u> | 700/106-107.ccls. | 195 | <u>L9</u> |
| <u>L8</u> | 700/97-98.ccls. | 1023 | <u>L8</u> |
| <u>L7</u> | L6 and L5 | · 1 | <u>L7</u> |
| <u>L6</u> | 707/\$.ccls. | 31824 | <u>L6</u> |
| <u>L5</u> | L3 and (develop\$6 near stage) | 57 | <u>L5</u> |
| <u>L4</u> | L3 and (develop\$ near stage) | 57 | <u>L4</u> |
| <u>L3</u> | L2 and stage\$1 | 191 | <u>L3</u> |
| <u>L2</u> | L1 and (shar\$3 same (database or table)) | 356 | <u>L2</u> |
| <u>L1</u> | manufactur\$ near component\$1 | 30808 | <u>L1</u> |



Search Results -

| Terms | Documents |
|-----------------|-----------|
| L21 and pointer | 0 |

| Database: | US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins | | |
|-----------|--|----------------------|---------------|
| Search: | L22 | | Refine Search |
| | Recall Text Clear | - Total SEC SERVICES | Interrupt |

Search History

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

| Set Name side by side | Query | Hit Count | Set Name result set |
|-----------------------|---|-----------|------------------------|
| <u> </u> | B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=} | ES; OP=OR | |
| <u>L22</u> | L21 and pointer | 0 | <u>L22</u> |
| <u>L21</u> | L20 and L5 | 4 | <u>L21</u> |
| <u>L20</u> | 709/\$.ccls. | 41494 | <u>L20</u> |
| <u>L19</u> | (L17 or L18) and L5 | 0 | <u>L19</u> |
| <u>L18</u> | 717/103.ccls. | 92 | <u>L18</u> |
| <u>L17</u> | 717/100.ccls. | 503 | <u>L17</u> |
| <u>L16</u> | L15 and L5 | 0 | <u>L16</u> |
| <u>L15</u> | 705/29.ccls. | 339 | <u>L15</u> |
| <u>L14</u> | L13 and L5 | 1 | <u>L14</u> |
| <u>L13</u> | 709/213-219.ccls. | 8994 | <u>L13</u> |
| <u>L12</u> | (L8 or L9 or L10 or L11) and L5 | 0 | <u>L12</u> |
| <u>L11</u> | 700/117.ccls. | 1052 | <u>L11</u> |
| <u>L10</u> | 700/103-104.ccls. | 302 | <u>L10</u> |
| <u>L9</u> | 700/106-107.ccls. | 195 | <u>L9</u> |

| <u>L8</u> | 700/97-98.ccls. | 1023 | <u>L8</u> |
|-----------|---|-------|-----------|
| <u>L7</u> | L6 and L5 | 1 | <u>L7</u> |
| <u>L6</u> | 707/\$.ccls. | 31824 | <u>L6</u> |
| <u>L5</u> | L3 and (develop\$6 near stage) | 57 | <u>L5</u> |
| <u>L4</u> | L3 and (develop\$ near stage) | 57 | <u>L4</u> |
| <u>L3</u> | L2 and stage\$1 | 191 | <u>L3</u> |
| <u>L2</u> | L1 and (shar\$3 same (database or table)) | 356 | <u>L2</u> |
| <u>L1</u> | manufactur\$ near component\$1 | 30808 | <u>L1</u> |

Search Results -

| Terms | Documents |
|---|-----------|
| L8 and (version same component same implementat\$4) | 0 |

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L.9

Refine Search

Recall Text
Clear

Search History

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

| Set Name side by side | | Hit Count | Set Name result set |
|--------------------------|--|-----------|------------------------|
| DB=PC | $GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; \ PLUR = YES; \ OBSERVED AND A STATE OF S$ | P = OR | |
| <u>L9</u> | L8 and (version same component same implementat\$4) | 0 | <u>L9</u> |
| <u>L8</u> | L6 and (function\$8 near test\$3) | 36 | <u>L8</u> |
| <u>L7</u> | L6 and test\$3 | 57 | <u>L7</u> |
| <u>L6</u> | L5 and implementat\$43 | 57 | <u>L6</u> |
| <u>L5</u> | L1 and L2 and L4 | 57 | <u>L5</u> |
| <u>L4</u> | shar\$3 same (database or table) | 71565 | <u>L4</u> |
| <u>L3</u> | shar\$3 same (database or table) same (relevant near partie\$1) | 8 | <u>L3</u> |
| <u>L2</u> | develop\$6 near stage\$1 | 33174 | <u>L2</u> |
| <u>L1</u> | manufactur\$3 near component\$1 | 30662 | <u>L1</u> |

Search Results -

| Terms | Documents |
|------------|-----------|
| L10 and L3 | 0 |

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database Database: EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins L11

Search:

| · | | Refine Search |
|-------------|-------|---------------|
| Recall Text | Clear | Interrupt |

Search History

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

| Set Name side by side | · | Hit Count | Set Name result set |
|--------------------------|--|-----------|------------------------|
| DB=PC | GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; On the substitution of the substi | P=OR | |
| <u>L11</u> | L10 and L3 | 0 | <u>L11</u> |
| <u>L10</u> | L8 and version | 36 | <u>L10</u> |
| <u>L9</u> | L8 and (version same component same implementat\$4) | 0 | <u>L9</u> |
| <u>L8</u> | L6 and (function\$8 near test\$3) | 36 | <u>L8</u> |
| <u>L7</u> | L6 and test\$3 | 57 | <u>L7</u> |
| <u>L6</u> | L5 and implementat\$43 | 57 | <u>L6</u> |
| <u>L5</u> | L1 and L2 and L4 | 57 | <u>L5</u> |
| <u>L4</u> | shar\$3 same (database or table) | 71565 | <u>L4</u> |
| <u>L3</u> | shar\$3 same (database or table) same (relevant near partie\$1) | 8 | <u>L3</u> |
| <u>L2</u> | develop\$6 near stage\$1 | 33174 | <u>L2</u> |
| <u>L1</u> | manufactur\$3 near component\$1 | 30662 | <u>L1</u> |

Search Results -

| Terms | Documents |
|---------------------|-----------|
| (L17 or L18) and L5 | 0 |

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L19

Refine Search

Refine Search

Search History

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

| Set Name side by side | Query | Hit Count | Set Name result set |
|-----------------------|---|------------|---------------------|
| DB=PGPI | B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=1 | YES; OP=OR | |
| <u>L19</u> | (L17 or L18) and L5 | 0 | <u>L19</u> |
| <u>L18</u> | 717/103.ccls. | 92 | <u>L18</u> |
| <u>L17</u> | 717/100.ccls. | 503 | <u>L17</u> |
| <u>L16</u> | L15 and L5 | 0 | <u>L16</u> |
| <u>L15</u> | 705/29.ccls. | 339 | <u>L15</u> |
| <u>L14</u> | L13 and L5 | 1 | <u>L14</u> |
| <u>L13</u> | 709/213-219.ccls. | 8994 | <u>L13</u> |
| <u>L12</u> | (L8 or L9 or L10 or L11) and L5 | 0 | <u>L12</u> |
| <u>L11</u> | 700/117.ccls. | 1052 | <u>L11</u> |
| <u>L10</u> | 700/103-104.ccls. | 302 | <u>L10</u> |
| <u>L9</u> | 700/106-107.ccls. | 195 | <u>L9</u> |
| <u>L8</u> | 700/97-98.ccls. | 1023 | <u>L8</u> |
| <u>L7</u> | L6 and L5 | 1 | <u>L7</u> |
| <u>L6</u> | 707/\$.ccls. | 31824 | <u>L6</u> |

| <u>L5</u> | L3 and (develop\$6 near stage) | 57 | <u>L5</u> |
|-----------|---|-------|-----------|
| <u>L4</u> | L3 and (develop\$ near stage) | 57 | <u>L4</u> |
| <u>L3</u> | L2 and stage\$1 | 191 | <u>L3</u> |
| <u>L2</u> | L1 and (shar\$3 same (database or table)) | 356 | <u>L2</u> |
| L1 | manufactur\$ near component\$1 | 30808 | L1 |

Search Results -

| Terms | Documents |
|----------------|-----------|
| L10 and partie | 3 |

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L12

Refine Search

Interrupt

Interrupt

Search History

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

| Set Nam side by sid | | Hit Count | Set Name result set |
|------------------------|--|------------|------------------------|
| DB=P | GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES | S; OP = OR | |
| <u>L12</u> | L10 and partie | 3 | <u>L12</u> |
| <u>L11</u> | L10 and supplier | 11 | <u>L11</u> |
| <u>L10</u> | L9 and (develop\$6 near stage) | 57 | <u>L10</u> |
| <u>L9</u> | L5 and (develop\$6 same stage) | 79 | <u>L9</u> |
| <u>L8</u> | L5 and (develop\$ same stage) | 79 | <u>L8</u> |
| <u>L7</u> | L6 not l1 | 7 | <u>L7</u> |
| <u>L6</u> | L5 and (shar\$3 near (database or table)) | 7 | <u>L6</u> |
| <u>L5</u> | L4 and stage\$1 | 191 | <u>L5</u> |
| <u>L4</u> | L3 and (shar\$3 same (database or table)) | 356 | <u>L4</u> |
| <u>L3</u> | manufactur\$ near component\$1 | 30808 | <u>L3</u> |
| <u>L2</u> | shar\$3 same (database or table) same ("relevant parties") | 8 | <u>L2</u> |
| DB=U | SPT; $PLUR = YES$; $OP = OR$ | | |
| <u>L1</u> | shar\$3 same (database or table) same ("relevant parties") | 3 | <u>L1</u> |

Interrupt

Refine Search

Search Results -

| Terms | Documents |
|--------------------------------|-----------|
| L2 and (relevant near part\$3) | 0 |

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

| L4 | Refine Search |
|--|---------------|
| Valency Valency Code Code (Code (Cod | |

Clear

Search History

DATE: Wednesday, January 18, 2006 Printable Copy Create Case

Recall Text =

| Set Name side by side | Query | <u>Hit</u> <u>Count</u> | Set Name result set |
|-----------------------|--|----------------------------|---------------------------|
| DB=P | GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR | | |
| <u>L4</u> | L2 and (relevant near part\$3) | 0 | <u>L4</u> |
| <u>L3</u> | L2 and (relevant near part\$) | 0 | <u>L3</u> |
| <u>L2</u> | L1 and manufactur\$3 | 6 | <u>L2</u> |
| <u>L1</u> | (5920873 or 5918232 or 5878408 or 5737581 or 5265004 or 5161101).pn. | 12 | <u>L1</u> |



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: © The ACM Digital Library C The Guide

"manufactured component" + "development stages" + "sharing



| 1 711 | MANY | DUGUTAU | LHBRAR | |
|-----------|----------|----------|---------------|--|
| : 1111 ** | 11/18/19 | ENGH WAL | Fill DIVIVING | |

Feedback Report a problem Satisfaction survey

Terms used manufactured component development stages sharing databse relevant parties testing information

Found 4 of 169,166

Sort results by

Display

results

relevance

expanded form

Save results to a Binder ? Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 4 of 4

(ISEF): an integrated industrial-strength software engineering framework

window

Relevance scale ...

Shaye Koenig

November 1988 ACM SIGSOFT Software Engineering Notes, ACM SIGPLAN Notices, Proceedings of the third ACM SIGSOFT/SIGPLAN software engineering symposium on Practical software development environments SDE 3, Volume 13, 24 Issue 5, 2

Publisher: ACM Press

Full text available: pdf(1.34 MB)

Additional Information: full citation, abstract, references, citings, index terms

ISEF is an environment for programming-in-the-large that integrates disparate software engineering principles, methods and tools into an industrial-strength, automated software development framework. Projects using ISEF have reported increased software quality, improved software manageability and decreased software production costs. This paper presents the basic principles and mechanisms that enable ISEF to achieve environment/process integration as well as integration within the environmen ...

2 Producing more reliable software: mature software engineering process vs. state-of-



the-art technology? James C. Widmaier

June 2000 Proceedings of the 22nd international conference on Software engineering

Publisher: ACM Press

Full text available: pdf(98.31 KB)

Additional Information: full citation, abstract, references, citings, index

A customer of high assurance software recently sponsored a software engineering experiment in which a real-time software system was developed concurrently by two popular software development methodologies. One company specialized in the state-ofthe-practice waterfall method rated at a Capability Maturity Model Level 4. A second developer employed his mathematically based formal method with automatic code generation. As specified in separate contracts, C++ code plus development documentatio ...

Keywords: capability maturity model, formal methods, software engineering experiment, software process and product metrics, software reliability

| • | A multidisciplinary approach to improving the user experience: information development, test, and user experience design teams working together Erin E. Heximer, Uliyana Markova, Lisa Wu, Justine Yoon October 2002 Proceedings of the 20th annual international conference on Computer documentation Publisher: ACM Press Full text available: pdf(154.76 KB) Additional Information: full citation, abstract, index terms | | | | |
|---|---|--|--|--|--|
| | In this paper we discuss how the combined efforts of three teams, Information Development (ID), Test, and User Experience Design (UED), improved the overall customer experience with store development in IBM® WebSphere® Commerce, a software package that enables merchants to host their businesses online. The project began in the spring of 2001 with a formal effort to solicit customer feedback on documentation. A few months later, a test team was created to simulate the customer experience | | | | |
| | Keywords : cross-functional teams, customer feedback, information, multidisciplinary, testing, user centered design, user-centered design | | | | |
| 4 | Analysis of a factory of the future using an integrated set of software for manufacturing systems modeling | | | | |

Masami Shimizu, David Van Zoest

December 1988 Proceedings of the 20th conference on Winter simulation

Publisher: ACM Press

Full text available: pdf(962.87 KB)

Additional Information: full citation, abstract, references, citings, index terms

Design of a green-field factory, termed a 'factory of the future', proposed by an electrical equipment manufacturer was analyzed using an integrated set of software for manufacturing systems modeling. The analysis involved the following four stages. First, a large data base containing part dimensions and processing conditions was analyzed using a spreadsheet software (Lotus 1-2-3) to generate a modeling data base. Second, a roughcut analysis of each manufacturing line in the fac ...

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

"manufactured component" + "development stages" + "sharing

SEARCH



Feedback Report a problem Satisfaction survey

Terms used manufactured component development stages sharing databse relevant parties pointer locating data

Found 1 of 169,166

Sort results by

Display

results

relevance expanded form

Save results to a Binder Search Tips Open results in a new window

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

Analysis of a factory of the future using an integrated set of software for



manufacturing systems modeling Masami Shimizu, David Van Zoest

December 1988 Proceedings of the 20th conference on Winter simulation

Publisher: ACM Press

Full text available: pdf(962.87 KB)

Additional Information: full citation, abstract, references, citings, index terms

Design of a green-field factory, termed a 'factory of the future', proposed by an electrical equipment manufacturer was analyzed using an integrated set of software for manufacturing systems modeling. The analysis involved the following four stages. First, a large data base containing part dimensions and processing conditions was analyzed using a spreadsheet software (Lotus 1-2-3) to generate a modeling data base. Second, a roughcut analysis of each manufacturing line in the fac ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library O The Guide

"sharing database" + "manufactured component" + "developm

SEARCH

| 1 | 14 E | A)(0) 4 | IN CHANG | 1. 11216/1/2 | |
|---|------|---------|----------|--------------|---|
| | | | | | A Contract of the Contract of |

Feedback Report a problem Satisfaction survey

Terms used <u>sharing database manufactured</u> <u>component development stage relevant parties</u>

Found 7 of 169,166

Relevance scale

Sort results by

Display

results

relevance
expanded form

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 7 of 7

1 Workflow in different styles of virtual enterprise

window

Roger Tagg

January 2001 Australian Computer Science Communications, Proceedings of the workshop on Information technology for virtual enterprises ITVE '01, Proceedings of the workshop on Information technology for virtual enterprises ITVE '01, Volume 23 Issue 6

Publisher: IEEE Computer Society , IEEE Computer Society , IEEE Computer Society Press

Full text available: pdf(715.49 KB)

Additional Information: full citation, abstract, references, citings

Because of the many forms a Virtual Enterprise (VE) can take, there is no single model of what type of approach to workflow management is most appropriate. This paper is based on an analysis of the different types of business practice that lead to the formation of VEs. A number of different workflow scenarios are depicted, and four specific issues are then discussed. The first is the recognition of the different life cycle stages of a Virtual Enterprise. The second is the problem of workflow cas ...

2 Repositories and object oriented databases

Publisher Site

Philip A. Bernstein

March 1998 ACM SIGMOD Record, Volume 27 Issue 1

Publisher: ACM Press

Full text available: pdf(87.84 KB) Additional Information: full citation, abstract, citings, index terms

A repository is a shared database of information about engineered artifacts. An object-oriented repository has many of the same features as an object-oriented database: properties, relationships, and versioning. However, the two technologies are different for two reasons. First, a repository system has built-in information models, which are database schemas or object models that cover both generic and tool-specific kinds of information. Second, the features of a repository are often more functio ...

3 Human centered systems in the perspective of organizational and social informatics

Rob Kling, Susan Leigh Star

March 1998 ACM SIGCAS Computers and Society, Volume 28 Issue 1

Publisher: ACM Press

Full text available: Dpdf(862.99 KB) Additional Information: full citation, citings, index terms

Results (page 1): "sharing database" + "manufactured component" + "development stage"... Page 2 of 3

Results 1 - 7 of 7

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library O The Guide

"manufactured component" + "development stage" + "relevan

SEARCH



Feedback Report a problem Satisfaction survey

Terms used manufactured component development stage relevant parties

Found 1 of 169,166

Sort results

by Display results

relevance expanded form

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale 🔲 📟 📟 📰

Analysis of a factory of the future using an integrated set of software for

window

manufacturing systems modeling Masami Shimizu, David Van Zoest

December 1988 Proceedings of the 20th conference on Winter simulation

Publisher: ACM Press

Full text available: pdf(962.87 KB)

Additional Information: full citation, abstract, references, citings, index terms

Design of a green-field factory, termed a 'factory of the future', proposed by an electrical equipment manufacturer was analyzed using an integrated set of software for manufacturing systems modeling. The analysis involved the following four stages. First, a large data base containing part dimensions and processing conditions was analyzed using a spreadsheet software (Lotus 1-2-3) to generate a modeling data base. Second, a roughcut analysis of each manufacturing line in the fac ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Home | Login | Logout | Access Information | Ale


Welcome United States Patent and Trademark Office

☐ Search Results **BROWSE** SEARCH IEEE XPLORE GUIDE Results for "((manufactur* <and> (develop* <near> stage*) <and> (relevant <near> partie*)..." ⊠e-mail Your search matched 1 of 1302021 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** ((manufactur* <and> (develop* <near> stage*) <and> (relevant <near> partie*))<in>m New Search Check to search only within this results set » Key Citation Display Format: Citation & Abstract IEEE JNL IEEE Journal or Magazine IEE JNL IEE Journal or Magazine IEEE CNF IEEE Conference Proceeding 1. Design and R&D results of the joints for the ITER conductor Bruzzone, P.; Mitchell, N.; Ciazynski, D.; Takahashi, Y.; Smith, B.; Zhelamskij, M.; **IEE CNF** IEE Conference Proceeding Applied Superconductivity, IEEE Transactions on IEEE STD IEEE Standard Volume 7, Issue 2, Part 1, June 1997 Page(s):461 - 464 Digital Object Identifier 10.1109/77.614533 AbstractPlus | References | Full Text: PDF(460 KB) | IEEE JNL

Indexed by Inspec*

Help Contact Us Privac

Copyright 2005 IE





Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

☐ Search Results BROWSE SEARCH IEEE XPLORE GUIDE

Results for "((manufactur" <and> (develop* <near> stage*) <and> (modify* <near> database)..."
Your search matched 0 documents.

IEE Conference Proceeding

IEEE Standard

⊠ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History **Modify Search** New Search ((manufactur* <and> (develop* <near> stage*) <and> (modify* <near> database))<in Check to search only within this results set » Key Citation Display Format: Citation & Abstract IEEE JNL IEEE Journal or Magazine IEE JNL IEE Journal or Magazine IEEE CNF IEEE Conference Proceeding No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Help Contact Us Privac

O Copyright 2005 IE

Indexed by Inspec*

IEE CNF

IEEE STD



Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
Inspec*

IEEE STD

IEEE Standard

Help Contact Us Privac

© Copyright 2005 IE